KIDNEY INTERNATIONAL

Volume 64, December 2003

Official Journal of the International Society of Nephrology

Le Journal Official de la Société International de Néphrologie

Table of contents

MESSAGE FROM THE PRESIDENT

Message from the president. *Jan J. Weening* 1

In Memoriam: Belding H. *Scribner, M.D. William G. Couser* 1155

SPECIAL AWARDS FROM THE 2003 WORLD CONGRESS OF NEPHROLOGY

Lillian Jean Kaplan International Prize for Advancement in the Understanding of Polycystic Kidney Disease Understanding polycystic kidney disease: A systems biology approach. *Jared J. Grantham* .. 1157

AMGEN International Prize

The history and future of renoprotection. *Barry M. Brenner* 1163

PERSPECTIVES IN RENAL MEDICINE

Thin basement membrane nephropathy. *Judy Savige, Kesha Rana, Stephen Tonna, Mark Buzza, Hayat Dagher, and Yan Yan Wang* 1169

THE JUNE 2003 BARRY M. BRENNER COMGAN LECTURE

The future of renoprotection: Frustration and promises. *Arrigo Schieppati and Giuseppe Remuzzi* .. 1947

PERSPECTIVES IN BASIC SCIENCE

Stewart and beyond: New models of acid-base balance. *Howard E. Corey* 777

Plasticity of kidney cells: Role in kidney remodeling and scarring. *A. Meguid El Nahas* 1553

Myeloperoxidase in kidney disease. *Ernst Malle, Thomas Buch, and Hermann-Josef Grone* 1956

GENETIC DISORDERS–DEVELOPMENT

Pathogenesis of nephrogenic diabetes insipidus by aquaporin-2 C-terminus mutations. *Tomoki Asai, Michio Kuwahara, Hidetake Kurihara, Tatsuo Sakai, Yoshio Terada, Fumiaki Marumo, and Sei Sasaki* 2

Hereditary systemic amyloidosis associated with a new apolipoprotein AII stop codon mutation Stop78Arg. *Masahide Yazaki, Juris J. Liepnieks, Mark S. Barats, Arthur H. Cohen, and Merrill D. Benson* 11

Steroid-resistant nephrotic syndrome and congenital anomalies of kidneys: Evidence of locus on chromosome 13q. *Abhay N. Vats, Chandra Ishwad, Kalyani R. Vats, Michael Moritz, Demetrius Ellis, Christine Mueller, Urvashi Surti, Maria Z. Parizhskaya, Manuel P. Meza, Leah Burke, Francis X. Schneck, Malika Saxena, and Robert Ferrell* 17

Altered expression of immune modulator and structural genes in neonatal unilateral ureteral obstruction. *Douglas M. Silverstein, Brett R. Travis, Barbara A. Thornhill, Jill S. Schurr, Jay K. Kolls, Jocelyn C. Leung, and Robert L. Chevalier (see Editorial by Ingelfinger, p. 361)* 25

Clinical characterization of a family with a mutation in the uromodulin (Tamm-Horsfall glycoprotein) gene. *Anthony J. Bleyer, Arch S. Woodard, Zak Shihabi, Jaspreet Sandhu, Honping Zhu, Scott G. Satko, Nelson Weller, Elizabeth Deterding, Debra McBride, Michael C. Gorry, Linda Xu, Deann Ganier, and Thomas C. Hart* 36

A complete mutation screen of *PKHD1* in autosomal-recessive polycystic kidney disease (ARPKD) pedigrees. *Sandro Rossetti, Roser Torra, Eliecer Coto, Mark Consugar, Vickie Kubly, Serafin Málaga, Mercedes Navarro, Mounif El-Youssef, Vicente E. Torres, and Peter C. Harris* 391

Refinement of the critical region for MCKD1 by detection of transcontinental haplotype sharing. *Matthias T.F. Wolf, Stephanie M. Karle, Stella Schwarz, Mathias Anlauf, Manfred Anlauf, Lisa Glaeser, Sabine Kroiss, Chris Burton, Terry Feest, Edgar Otto, Arno Fuchshuber, and Friedhelm Hildebrandt*. 788

Enlarged nephrons and severe nondiabetic nephropathy in hepatocyte nuclear factor-1β (HNF-1β) mutation carriers. *Jørn V. Sagen, Leif Bostad, Pål R. Njølstad, and Oddmund Sàvik* 793

Fabry disease: Detection of undiagnosed hemodialysis patients and identification of a "renal variant" phenotype. *Shoichiro Nakao, Chihaya Kodama, Toshihiro Takenaka, Akihiro Tanaka, Yuichiro Yasumoto, Aichi Yoshida, Tamotsu Kanzaki, Annette L.D. Enriquez, Christine M. Eng, Hiromitsu Tanaka, Chuwa Tei, and Robert J. Desnick* (see Editorial by Grnfeld, p. 1136) 801

Analysis of renal tubular electrolyte transporter genes in seven patients with hypokalemic metabolic alkalosis. *Shigeru Fukuyama, Shoko Okudaira, Syosin Yamazato, Masahiro Yamazato, and Takao Ohta* 808

Lipoproteins in the DCCT/EDIC cohort: Associations with diabetic nephropathy. *Alicia J. Jenkins, Timothy J. Lyons, Deyi Zheng, James D. Otvos, Daniel T. Lackland, Daniel McGee, W. Timothy Garvey, Richard L. Klein, and the DCCT/EDIC Research Group* 817

Prenatal exposure to nicotine modifies kidney weight and blood pressure in genetically susceptible rats: A case of gene-environment interaction. *Zdenka Pausová, Tomáš Paus, Lucie Šedová, and Julie Bérubé* 829

Significant contribution of genomic rearrangements in *SLC3A1* and *SLC7A9* to the etiology of cystinuria. *Christa Schmidt, Udo Vester, Carsten A. Wagner, Sven Lahme, Albrecht Hesse, Peter Hoyer, Florian Lang, Klaus Zerres, Thomas Eggermann, and Members of the Arbeitsgemeinschaft Für Pädiatrische Nephrologie (APN)* 1564

EGF receptor tyrosine kinase inhibition attenuates the development of PKD in Han:SPRD rats. *Vicente E. Torres, William E. Sweeney, Jr., Xiaofang Wang, Qi Qian, Peter C. Harris, Philip Frost, and Ellis D. Avner* 1573

Mutations of the *Uromodulin* gene in MCKD type 2 patients cluster in exon 4, which encodes three EGF-like domains. *Matthias T.F. Wolf, Bettina E. Mucha, Massimo Attanasio, Isabella Zalewski, Stephanie M. Karle, Hartmut P.H. Neummann, Nazneen Rahman, Birgit Bader, Conrad A. Baldamus, Edgar Otto, Ralph Witzgall, Arno Fuchshuber, and Friedhelm Hildebrandt* 1580

A catalogue of gene expression in the developing kidney. *Kristopher Schwab, Larry T. Patterson, Bruce J. Aronow, Ruth Luckas, Hung-Chi Liang, and S. Steven Potter* 1588

Cloning and characterization of a novel gene promoting ureteric bud branching in the metanephros. *Takashi Araki, Matsuhiko Hayashi, and Takao Saruta* (see Editorial by Nigam, p. 2320) 1968

Gene expression profile in diabetic KK/Ta mice. *Qiuling Fan, Toshihide Shike, Takako Shigihara, Mitsuo Tanimoto, Tomohito Gohda, Yuichiro Makita, Li Ning Wang, Satoshi Horikoshi, and Yasuhiko Tomino* 1978

Characterization of assembly of recombinant type IV collagen α3, α4, and α5 chains in transfected cell strains. *Takehiro Kobayashi and Makoto Uchiyama* 1986

RAPID COMMUNICATION: Changes in gene expression patterns in the ureteric bud and metanephric mesenchyme in models of kidney development. *Robert O. Stuart, Kevin T. Bush, and Sanjay K. Nigam* 1997

HORMONES-CYTOKINES-SIGNALING

Detection of inflammation following renal ischemia by magnetic resonance imaging. *Sang-Kyung Jo, Xuzhen Hu, Hisataka Kobayashi, Martin Lizak, Takehiko Miyaji, Alan Koretsky, and Robert A. Star* 43

PPARγ ligand attenuates PDGF-induced mesangial cell proliferation: Role of MAP kinase. *Siddhartha S. Ghosh, Todd W.B. Gehr, Shobha Ghosh, Itaf Fakhry, Domenic A. Sica, Vijay Lyall, and Anton C. Schoolwerth* 52

Autoregulation in the parathyroid glands by PTH/PTHrP receptor ligands in normal and uremic rats. *Ewa Lewin, Bartolome Garfia, Yolanda Almaden, Mariano Rodriguez, and Klaus Olgaard* 63

Angiotensin II-induced hypertrophy of proximal tubular cells requires $p27^{Kip1}$. *Gunter Wolf, Katarina Jablonski, Regine Schroeder, Rüdiger Reinking, Stuart J. Shankland, and Rolf A.K. Stahl* 71

Clustering-induced tyrosine phosphorylation of nephrin by Src family kinases. *Juhani Lahdenperä, Pekka Kilpeläinen, Xiao Li Liu, Timo Pikkarainen, Paula Reponen, Vesa Ruotsalainen, and Karl Tryggvason* (see Editorial by Mathieson, p. 756) 404

Gene expression of vitamin D hydroxylase and megalin in the remnant kidney of nephrectomized rats. *Fumi Takemoto, Toshimasa Shinki, Keitaro Yokoyama, Taketoshi Inokami, Shigeko Hara, Akira Yamada, Kiyoshi Kurokawa, and Shunya Uchida* 414

Regulation of *growth-hormone-receptor* gene expression by growth hormone and pegvisomant in human mesangial cells. *Udo Meinhardt, Andrée Eblé, Amélie Besson, Christian J. Strasburger, Jean-Daniel Sraer, and Primus E. Mullis* 421

Integrins induce expression of monocyte chemoattractant protein-1 via focal adhesion kinase in mesangial cells. *Yujiro Watanabe, Masahito Tamura, Akihiko Osajima, Hirofumi Anai, Narutoshi Kabashima, Ryota Serino, and Yasuhide Nakashima* 431

Sevelamer hydrochloride prevents ectopic calcification and renal osteodystrophy in chronic renal failure rats. *Kyoko Katsumata, Kenichiro Kusano, Michinori Hirata, Kunihiko Tsunemi, Nobuo Nagano, Steven K. Burke, and Naoshi Fukushima* 441

Urinary CCN2 (CTGF) as a possible predictor of diabetic nephropathy: Preliminary report. *Bruce L. Riser, Pedro Cortes, Mark DeNichilo, Poornima V. Deshmukh, Parminder S. Chahal, Ali K. Mohammed, Jerry Yee, and Dorothy Kahkonen* 451

STAT proteins mediate angiotensin II-induced production of TIMP-1 in human proximal tubular epithelial cells. *Xiangmei Chen, Jianzhong Wang, Feng Zhou, Xiaodan Wang, and Zhe Feng* 459

Vascular endothelial growth factor induces protein synthesis in renal epithelial cells: A potential role in diabetic nephropathy. *Duraisamy Senthil, Goutam Ghosh Choudhury, Colby McLaurin, and Balakuntalam S. Kasinath* (see Editorial by Ziyadeh and Wolf, p. 758) 468

Oxidative stress and kidney dysfunction due to ischemia/reperfusion in rat: Attenuation by dehydroepiandrosterone. *Manuela Aragno, Juan Carlos Cutrin, Raffaella Mastrocola, Maria-Giulia Perrelli, Francesca Restivo, Giuseppe Poli, Oliviero Danni, and Giuseppe Boccuzzi* 836

TGF-β isoforms in renal fibrogenesis. *Ling Yu, Wayne A. Border, Yufeng Huang, and Nancy A. Noble* 844

Combining lisinopril and L-arginine slows disease progression and reduces endothelin-1 in passive Heymann nephritis. *Carla Zoja, Ariela Benigni, Davide Camozzi, Daniela Corna, Lorena Longaretti, Marta Todeschini, and Giuseppe Remuzzi* 857

Hepatocyte growth factor regulates proteoglycan synthesis in interstitial fibroblasts. *Emi Kobayashi, Hiroyuki Sasamura, Mizuo Mifune, Ryoko Shimizu-Hirota, Mari Kuroda, Matsuhiko Hayashi, and Takao Saruta* 1179

Renal ischemia/reperfusion and ATP depletion/repletion in LLC-PK_1 cells result in phosphorylation of FKHR and FKHRL1. *Michele Andreucci, Ashour Michael, Cornelis Kramers, Kwon Moo Park, Ang Chen, Tilman Matthaeus, Alessandro Alessandrini, Syed Haq, Thomas Force, and Joseph V. Bonventre* 1189

Early aldosterone up-regulated genes: New pathways for renal disease? *Markus Kellner, Angela Peiter, Mathias Hafner, Martin Feuring, Michael Christ, Martin Wehling, Elisabeth Falkenstein, and Ralf Lösel* 1199

Urinary and renal interstitial concentrations of TNF-γ increase prior to the rise in albuminuria in diabetic rats. *Kambiz Kalantarinia, Alaa S. Awad, and Helmy M. Siragy* 1208

The tyrosine kinase inhibitor tyrphostin AG126 reduces renal ischemia/reperfusion injury in the rat. *Prabal K. Chatterjee, Nimesh S.A. Patel, Espen O. Kvale, Paul A.J. Brown, Keith N. Stewart, Domenico Britti, Salvatore Cuzzocrea, Helder Mota-Filipe, and Christoph Thiemermann* 1605

Ethyl pyruvate decreases sepsis-induced acute renal failure and multiple organ damage in aged mice. *Takehiko Miyaji, Xuzhen Hu, Peter S.T. Yuen, Yasunari Muramatsu, Swarnalatha Iyer, Stephen M. Hewitt, and Robert A. Star* 1620

Vitamin D3 up-regulated protein-1 regulates collagen expression in mesangial cells. *Tsutomu Kobayashi, Sayuri Uehara, Takanori Ikeda, Hiraku Itadani, and Hidehito Kotani* 1632

Role of plasma renin activity in the management of primary vesicoureteric reflux: A preliminary report. *Minu Bajpai, Kamlesh Pal, Chandrashekhar S. Bal, Arun K. Gupta, and Ravinder M. Pandey* 1643

RAPID COMMUNICATION: Endothelial progenitor cell proliferation and differentiation is regulated by erythropoietin. *Ferdinand H. Bahlmann, Kirsten DeGroot, Thorsten Duckert, Eva Niemczyk, Elisabeth Bahlmann, Sascha M. Boehm, Hermann Haller, and Danilo Fliser* 1648

Sevelamer hydrochloride attenuates kidney and cardiovascular calcifications in long-term experimental uremia. *Mario Cozzolino, Mark E. Staniforth, Helen Liapis, Jane Finch, Steven K. Burke, Adriana S. Dusso, and Eduardo Slatopolsky* 1653

Effect of fasudil on Rho-kinase and nephropathy in subtotally nephrectomized spontaneously hypertensive rats. *Takeshi Kanda, Shu Wakino, Koichi Hayashi, Koichiro Homma, Yuri Ozawa, and Takao Saruta* 2009

Hypoxia-induced apoptosis in cultured glomerular endothelial cells: Involvement of mitochondrial pathways. *Tetsuhiro Tanaka, Toshio Miyata, Reiko Inagi, Kiyoshi Kurokawa, Stephen Adler, Toshiro Fujita, and Masaomi Nangaku* 2020

Combined ETA/ETB receptor blockade of human peritoneal mesothelial cells inhibits collagen I RNA synthesis. *Stanislao Morgera, Juliane Schlenstedt, Pia Hambach, Markus Giessing, Serdar Deger, Berthold Hocher, and Hans-Hellmut Neumayer* 2033

β-hydroxybutyrate–induced growth inhibition and collagen production in HK-2 cells are dependent on TGF-β and Smad3. *Jinn-Yuh Guh, Tsai-Der Chuang, Hung-Chun Chen, Wen-Chun Hung, Yung-Hsiung Lai, Shyi-Jang Shin, and Lea-Yea Chuang* 2041

Cyclic AMP reverses radiocontrast media-induced apoptosis in LLC-PK1 cells by activating A kinase/PI3 kinase. *Takahisa Yano, Yoshinori Itoh, Toshiaki Sendo, Toshio Kubota, and Ryozo Oishi.* 2052

Major involvement of CD40 in the regulation of chemokine secretion from human peritoneal mesothelial cells. *Limor Man, Eli Lewis, Tom Einbinder, Boris Rogachev, Cidio Chaimovitz, and Amos Douvdevani* 2064

CELL BIOLOGY-IMMUNOLOGY-PATHOLOGY

AOPP-induced activation of human neutrophil and monocyte oxidative metabolism: A potential target for N-acetylcysteine treatment in dialysis patients. *Véronique Witko-Sarsat, Valérie Gausson, Anh-Thu Nguyen, Malik Touam, Tilman Drüeke, Francesco Santangelo, and Béatrice Descamps-Latscha* 82

Blockade of TGF-β action ameliorates renal dysfunction and histologic progression in anti-GBM nephritis. *Aihua Zhou, Hikaru Ueno, Mayumi Shimomura, Ryojiro Tanaka, Toshiro Shirakawa, Hajime Nakamura, Masafumi Matsuo, and Kazumoto Iijima* 92

Gene delivery using human cord blood derived $CD34^+$ cells into inflamed glomeruli in NOD/SCID mice. *Takashi Yokoo, Yoya Ohashi, Yasunori Utsunomiya, Aikou Okamoto, Takahide Suzuki, Jin Song Shen, Tadao Tanaka, Tetsuya Kawamura, and Tatsuo Hosoya* 102

Laminin-8/9 is synthesized by rat glomerular mesangial cells and is required for PDGF-induced mesangial cell migration. *Kim Hansen and Christine K. Abrass* (see Editorial by Abrahamson, p. 363) 110

Role of γ8 integrin in mesangial cell adhesion, migration, and proliferation. *Beate Bieritz, Paola Spessotto, Alfonso Colombatti, Angelika Jahn, Felicitas Prols, and Andrea Hartner* 119

Radiographic contrast media-induced tubular injury: Evaluation of oxidant stress and plasma membrane integrity. *Richard A. Zager, Ali C.M. Johnson, and Sherry Y. Hanson* 128

SCG/Kinjoh mice: A model of ANCA-associated crescentic glomerulonephritis with immune deposits. *Irmgard Neumann, Rainer Birck, Mark Newman, Peter Schnülle, Wilhelm Kriz, Kyuichi Nemoto, Benito Yard, Rüdiger Waldherr, and Fokko J. van der Woude* 140

Precocious activation of genes of the renin-angiotensin system and the fibrogenic cascade in IgA glomerulonephritis. *Dorella Del Prete, Giovanni Gambaro, Antonio Lupo, Franca Anglani, Brigida Brezzi, Riccardo Magistroni, Romina Graziotto, Luciana Furci, Francesca Modena, Patrizia Bernich, Alberto Albertazzi, Angela D'Angelo, and Giuseppe Maschio* 149

IL-18 translational inhibition restricts IFN-γ expression in crescentic glomerulonephritis. *Gabriela E. Garcia, Yiyang Xia, George Ku, Richard J. Johnson, Curtis B. Wilson, and Lili Feng* 160

Expression of NOS1 and soluble guanylyl cyclase by human kidney epithelial cells: Morphological evidence for an autocrine/paracrine action of nitric oxide. *Anne Jarry, Karine Renaudin, Marc G. Denis, Myriam Robard, Bénédicte Buffin-Meyer, Georges Karam, Françoise Buzelin, Hervé Paris, Christian L. Laboisse, and Geneviève Vallette* 170

Bcl-xL overexpression protects from apoptosis induced by HMG-CoA reductase inhibitors in murine tubular cells. *Luis Miguel Blanco-Colio, Pilar Justo, Ilse Daehn, Corina Lorz, Alberto Ortiz, and Jesus Egido* 181

Modification of the transcriptomic response to renal ischemia/reperfusion injury by lipoxin analog. *Niamh E. Kieran, Peter P. Doran, Susan B. Connolly, Marie-Claire Greenan, Debra F. Higgins, Martin Leonard, Catherine Godson, Cormac T. Taylor, Anna Henger, Matthias Kretzler, Melissa J. Burne, Hamid Rabb, and Hugh R. Brady* 480

Internalization of calcium oxalate crystals by renal tubular cells: A nephron segment-specific process? *Marieke S.J. Schepers, Ronald A.J. Duim, Marino Asselman, Johannes C. Romijn, Fritz H. Schröder, and Carl F. Verkoelen* 493

Lipoic acid supplementation prevents angiotensin II-induced renal injury. *Eero Mervaala, Piet Finckenberg, Risto Lapatto, Dominik N. Müller, Joon-Keun Park, Ralf Dechend, Detlev Ganten, Heikki Vapaatalo, and Friedrich C. Luft* 501

NO mediates antifibrotic actions of L-arginine supplementation following induction of anti-thy1 glomerulonephritis. *Harm Peters, Ute Daig, Sebastian Martini, Matthias Rückert, Frank Schäper, Lutz Liefeldt, Stephanie Krämer, and Hans-H. Neumayer* 509

Emodin ameliorates glucose-induced matrix synthesis in human peritoneal mesothelial cells. *Tak Mao Chan, Jack Kok-Hung Leung, Ryan Chi-Wai Tsang, Zhi Hong Liu, Lei Shi Li, and Susan Yung* 519

Dose-dependent effects of strontium on osteoblast function and mineralization. *Steven C. Verberckmoes, Marc E. De Broe, and Patrick C. D'Haese* 534

Effect of immunosuppression on damage, leukocyte infiltration, and regeneration after severe warm ischemia/reperfusion renal injury. *Dirk K. Ysebaert, Kathleen E. De Greef, Sven R. Vercauteren, Anja Verhulst, Marc Kockx, Gert A. Verpooten, and Marc E. De Broe* 864

Cellular responses to hypoxia after renal segmental infarction. *Christian Rosenberger, Wanja Griethe, Gertrud Gruber, Michael Wiesener, Ulrich Frei, Sebastian Bachmann, and Kai-Uwe Eckardt* 874

Antisense oligonucleotides against collagen-binding stress protein HSP47 suppress peritoneal fibrosis in rats. *Tomoya Nishino, Masanobu Miyazaki, Katsushige Abe, Akira Furusu, Yoko Mishima, Takashi Harada, Yoshiyuki Ozono, Takehiko Koji, and Shigeru Kohno* 887

Nephritogenic autoantibodies but absence of nephritis in Il-12p35-deficient mice with pristane-induced lupus. *Nicola Calvani, Minoru Satoh, Byron P. Croker, Westley H. Reeves, and Hanno B. Richards* ... 897

Mast cell infiltration and chemokine expression in progressive renal disease. *Susan E. Jones, Darren J. Kelly, Alison J. Cox, Yuan Zhang, Renae M. Gow, and Richard E. Gilbert* (see Editorial by Rangan and Harris, p. 1134) 906

Rat glomerular epithelial cells produce and bear factor H on their surface that is up-regulated under complement attack. *Guohui Ren, Mona Doshi, Bradley K. Hack, Jessy J. Alexander, and Richard J. Quigg* 914

Dietary conjugated linoleic acid reduces PGE_2 release and interstitial injury in rat polycystic kidney disease. *Malcolm R. Ogborn, Evan Nitschmann, Neda Bankovic-Calic, Hope A. Weiler, Shirley Fitzpatrick-Wong, and Harold M. Aukema* 1214

Podocytes that detach in experimental membranous nephropathy are viable. *Arndt T. Petermann, Ron Krofft, Mary Blonski, Keiju Hiromura, Michael Vaughn, Raimund Pichler, Sian Griffin, Takehiko Wada, Jeffrey Pippin, Raghu Durvasula, and Stuart J. Shankland* (see Editorial by Mundel, p. 1529). 1222

C1q nephropathy: A variant of focal segmental glomerulosclerosis. *Glen S. Markowitz, Joshua A. Schwimmer, M. Barry Stokes, Samih Nasr, Robert L. Seigle, Anthony M. Valeri, and Vivette D. D'Agati* 1232

Therapeutic effect of all-trans retinoic acid on rats with anti-GBM antibody glomerulonephritis. *Susumu Oseto, Toshiki Moriyama, Noritaka Kawada, Katsuyuki Nagatoya, Masanobu Takeji, Akio Ando, Tadashi Yamamoto, Enyu Imai, and Masatsugu Hori* 1241

Altered mRNA expression in renal biopsy tissue from patients with IgA nephropathy. *Iwao Waga, Jun Yamamoto, Hitoshi Sasai, William E. Munger, Susan L. Hogan, Gloria A. Preston, Hong-Wei Sun, J. Charles Jennette, Ronald J. Falk, and David A. Alcorta* 1253

Blockade of CD40-CD40 ligand protects against renal injury in chronic proteinuric renal disease. *Lukas Kairaitis, Yiping Wang, Ling Zheng, Yuet-Ching Tay, Yang Wang, and David C.H. Harris* 1265

Protective roles of thioredoxin, a redox-regulating protein, in renal ischemia/reperfusion injury. *Kenji Kasuno, Hajime Nakamura, Takahiko Ono, Eri Muso, and Junji Yodoi* 1273

Calcium phosphate-induced renal epithelial injury and stone formation: Involvement of reactive oxygen species. *Kinue Aihara, Karen J. Byer, and Saeed R. Khan* 1283

T-cell epitope of α3 chain of type IV collagen induces severe glomerulonephritis. *Jean Wu, Jason Borillo, William F. Glass II, John Hicks, Ching-Nan Ou, and Ya-Huan Lou* 1292

Selective protection of renal tubular epithelial cells by heme oxygenase (HO)-1 during stress-induced injury. *Yonghong Yang, Kazuhide Ohta, Masaki Shimizu, Kayoko Morimoto, Chinami Goto, Akiko Nakai, Tomoko Toma, Yoshihito Kasahara, Akihiro Yachie, Hidetoshi Seki, and Shoichi Koizumi* ... 1302

Combination treatment of PKD utilizing dual inhibition of EGF-receptor activity and ligand bioavailability. *William E. Sweeney Jr., Kiyoshi Hamahira, Jennifer Sweeney, Michelle Garcia-Gatrell, Philip Frost, and Ellis D. Avner* 1310

Internalization of antibodies by endothelial cells via fibronectin implicating a novel mechanism in lupus nephritis. *Hiroshi Fujii, Kimihiko Nakatani, Norimasa Arita, Mitsuko R. Ito, Miho Terada, Tatsuhiko Miyazaki, Minako Yoshida, Masao Ono, Takashi Fujiwara, Kan Saiga, Toshiyuki Ota, Haruo Ohtani, Martin Lockwood, Takeshi Sasaki, and Masato Nose* 1662

VHL down-regulation and differential localization as mechanisms in tumorigenesis. *Yih-Horng Shiao, Asta Forsti, Lars Egevad, Lucy M. Anderson, Per Lindblad, and Kari Hemminki* 1671

Differential effects of Sendai virus infection on mediator synthesis by mesangial cells from two mouse strains. *Noriyoshi Kobayashi, Nayer Bagheri, John G. Nedrud, Robert M. Strieter, Yasuhiko Tomino, Michael E. Lamm, and Steven N. Emancipator* 1675

Regulation by $CD25^+$ lymphocytes of autoantigen-specific T-cell responses in Goodpasture's (anti-GBM) disease. *Alan D. Salama, Afzal N. Chaudhry, Kathryn A. Holthaus, Karen Mosley, Raghu Kalluri, Mohamed H. Sayegh, Robert I. Lechler, Charles D. Pusey, and Liz Lightstone* 1685

Critical role for Nef in HIV-1-induced podocyte dedifferentiation. *Masaaki Sunamoto, Mohammad Husain, John Cijiang He, Elissa J. Schwartz, and Paul E. Klotman* 1695

Differential behavior of mesangial cells derived from 12/15-lipoxygenase knockout mice relative to control mice. *Young-Sook Kim, Marpadga A. Reddy, Linda Lanting, Sharon G. Adler, and Rama Natarajan* (see Editorial by Kasinath, p. 1918) 1702

Activation of the TGF-β/Smad signaling pathway in focal segmental glomerulosclerosis. *Ji Hoon Kim, Byoung Kwon Kim, Kyung Chul Moon, Hye Kyoung Hong, and Hyun Soon Lee* 1715

Selective depletion of fibroblasts preserves morphology and the functional integrity of peritoneum in transgenic mice with peritoneal fibrosing syndrome. *Hirokazu Okada, Tsutomu Inoue, Yoshihiko Kanno, Tatsuya Kobayashi, Yusuke Watanabe, Shinichi Ban, Eric G. Neilson, and Hiromichi Suzuki.* 1722

Complement mediates nephrin redistribution and actin dissociation in experimental membranous nephropathy. *Anita M. Saran, Huaping Yuan, Emiko Takeuchi, Margaret McLaughlin, and David J. Salant* (see Editorial by Quigg, p. 2318) 2072

DNA oligonucleotide microarray technology identifies fisp-12 among other potential fibrogenic genes following murine unilateral ureteral obstruction (UUO): Modulation during epithelial-mesenchymal transition. *Debra F. Higgins, David W.P. Lappin, Niamh E. Kieran, Hans J. Anders, Ronald W.G. Watson, Frank Strutz, Detlef Schlondorff, Volker H. Haase, John M. Fitzpatrick, Catherine Godson, and Hugh R. Brady* 2079

In situ evaluation of podocin in normal and glomerular diseases. *Izumi Horinouchi, Hitoshi Nakazato, Tomoyasu Kawano, Ken-ichi Iyama, Akio Furuse, Kenji Arizono, Jiro Machida, Tamami Sakamoto, Fumio Endo, and Shinzaburo Hattori* 2092

Dietary flaxseed meal reduces proteinuria and ameliorates nephropathy in an animal model of type II diabetes mellitus. *Manuel T. Velasquez, Sam J. Bhathena, Tedine Ranich, Arnold M. Schwartz, David E. Kardon, Ali A. Ali, Christian C. Haudenschild, and Carl T. Hansen* 2100

Immunodominant epitopes of α3(IV)NC1 induce autoimmune glomerulonephritis in rats. *Lanlin Chen, Thomas Hellmark, Jörgen Wieslander, and Warren Kline Bolton* 2108

Activation and cellular localization of the p38 and JNK MAPK pathways in rat crescentic glomerulonephritis. *Cosimo Stambe, Robert C. Atkins, Prudence A. Hill, and David J. Nikolic-Paterson* 2121

ION CHANNELS-MEMBRANE TRANSPORT-INTEGRATIVE PHYSIOLOGY

HMG-CoA reductase, cholesterol 7α-hydroxylase, LCAT, ACAT, LDL receptor, and SRB-1 in hereditary analbuminemia. *Kaihui Liang and Nosratola D. Vaziri* 192

Modulation of Ca^{2+}-activated K^+ channel in renal artery endothelium in situ by nitric oxide and reactive oxygen species. *Susanne Brakemeier, Ines Eichler, Andrea Knorr, Til Fassheber, Ralf Köhler, and Joachim Hoyer* 199

Mass transfer of calcium across the peritoneum at three different peritoneal dialysis fluid Ca^{2+} and glucose concentrations. *Ole Simonsen, Daniele Venturoli, Anders Wieslander, Ola Carlsson, and Bengt Rippe* 208

Resistance of mTAL Na^{+}-dependent transporters and collecting duct aquaporins to dehydration in 7-month-old rats. *Hassane Amlal and Catherine Wilke* 544

Thiazide-induced hypocalciuria is accompanied by a decreased expression of Ca^{2+} transport proteins in kidney. *Tom Nijenhuis, Joost G.J. Hoenderop, Johannes Loffing, Annemiete W.C.M. van der Kemp, Carel H. van OS, and René J.M. Bindels* 555

Classification and rescue of ROMK mutations underlying hyperprostaglandin E syndrome/antenatal Bartter syndrome. *Melanie Peters, Saskia Ermert, Nikola Jeck, Christian Derst, Ulla Pechmann, Stefanie Weber, Karl P. Schlingmann, Hannsjoerg W. Seyberth, Siegfried Waldegger, and Martin Konrad* 923

Vasopressin-independent renal urinary concentration: Increased rBSC1 and enhanced countercurrent multiplication. *Mari Michimata, Kazuhiko Mizukami, Michiko Suzuki, Itsuro Kazama, Yohsuke Nakamura, Katsuya Suzuki, Teruyuki Yanagisawa, Yutaka Imai, Sei Sasaki, and Mitsunobu Matsubara* 933

Angiotensin II stimulates NHE3 activity by exocytic insertion of the transporter: Role of PI 3-kinase. *Damien du Cheyron, Cecile Chalumeau, Nadia Defontaine, Christophe Klein, Odile Kellermann, Michel Paillard, and Josiane Poggioli* 939

Mouse kidney expresses mRNA of four highly related sodium-glucose cotransporters: Regulation by cadmium. *Niloofar M. Tabatabai, Samuel S. Blumenthal, Donna L. Lewand, and David H. Petering* . 1320

Creatine supplementation decreases homocysteine in an animal model of uremia. *Youri E.C. Taes, Joris R. Delanghe, An S. De Vriese, Roeland Rombaut, John Van Camp, and Norbert H. Lameire* 1331

Regulation of cytosolic pH and lactic acid release in mesangial cells overexpressing GLUT1. *Karl S. Lang, Matthias M. Mueller, Valerie Tanneur, Sabine Wallisch, Olga Fedorenko, Monica Palmada, Florian Lang, Stefan Bröer, Charles W. Heilig, Erwin Schleicher, and Cora Weigert* 1338

Increased intracellular Ca^{++} in the macula densa regulates tubuloglomerular feedback. *YiLin Ren, Ruisheng Liu, Oscar A. Carretero, and Jeffrey L. Garvin* 1348

Amitriptyline eliminates calculi through urinary tract smooth muscle relaxation. *Eduardo Achar, Rosi A.N. Achar, Therezinha B. Paiva, Alexandre H. Campos, and Nestor Schor* 1356

Comparative kinetics of the uremic toxin p-cresol versus creatinine in rats with and without renal failure. *Gerrit Lesaffer, Rita De Smet, Tommy D'heuvaert, Frans M. Belpaire, Norbert Lameire, and RaymondVanholder* 1365

PDZK1: I. *A major scaffolder in brush borders of proximal tubular cells. Serge M. Gisler, Sandra Pribanic, Desa Bacic, Patrik Forrer, Andrea Gantenbein, Luc A. Sabourin, Akira Tsuji, Zhuo-Shen Zhao, Edward Manser, Jürg Biber, and Heini Murer* (see Editorial by Moe, p. 1916) 1733

PDZK1: II. *An anchoring site for the PKA-binding protein D-AKAP2 in renal proximal tubular cells. Serge M. Gisler, Caveh Madjdpour, Desa Bacic, Sandra Pribanic, Susan S. Taylor, Jürg Biber, and Heini Murer* 1746

Iron handling and gene expression of the divalent metal transporter, DMT1, in the kidney of the anemic Belgrade (b) rat. *Carole J. Ferguson, Mark Wareing, Mathieu Delannoy, Robert Fenton, Stuart J. McLarnon, Nicholas Ashton, Alan G. Cox, Raymond F.T. McMahon, Laura M. Garrick, Roger Green, Craig P. Smith, and Daniela Riccardi* 1755

Dopamine acutely decreases apical membrane Na/H exchanger NHE3 protein in mouse renal proximal tubule. *Desa Bacic, Brigitte Kaissling, Paul McLeroy, Lixian Zou, Michel Baum, and Orson W. Moe* 2133

Effect of high protein diet on stone-forming propensity and bone loss in rats. *Jamshid Amanzadeh, William L. Gitomer, Joseph E. Zerwekh, Patricia A. Preisig, Orson W. Moe, Charles Y.C. Pak, and Moshe Levi* 2142

Urine calcium and volume predicts coverage of renal papilla by Randall's plaque. *Ramsay L. Kuo, James E. Lingeman, Andrew P. Evan, Ryan F. Paterson, Joan H. Parks, Sharon B. Bledsoe, Larry C. Munch, and Fredric L. Coe* 2150

VASCULAR BIOLOGY-HEMODYNAMICS-HYPERTENSION

L-Arginine counteracts nitric oxide deficiency and improves the recovery phase of ischemic acute renal failure in rats. *Reinhard Schneider, Ulrike Raff, Nicole Vornberger, Monika Schmidt, Ralf Freund, Mark Reber, Lothar Schramm, Stepan Gambaryan, Christoph Wanner, Harald H.H.W. Schmidt, and Jan Galle* 216

Hypoxanthine plus xanthine oxidase causes profound natriuresis without affecting renal blood flow autoregulation. *Simona Racasan, Erika Turkstra, Jaap A. Joles, Hein A. Koomans, and Branko Braam* 226

Effects of the combination of an angiotensin II antagonist with an HMG-CoA reductase inhibitor in experimental diabetes. *Jie Qin, Zhili Zhang, Jie Liu, Liao Sun, Ling Hu, Mark E. Cooper, and Zemin Cao* 565

Vitamin E prevents renal dysfunction induced by experimental chronic bile duct ligation. *M. Clara Ortiz, Melissa C. Manriquez, Karl A. Nath, Donna J. Lager, J. Carlos Romero, and Luis A. Juncos* .. 950

Endothelin-1 receptor blockade prevents renal injury in experimental hypercholesterolemia. *Alejandro R. Chade, Patricia J. Best, Martin Rodriguez-Porcel, Joerg Herrmann, Xiangyang Zhu, Tatsuya Sawamura, Claudio Napoli, Amir Lerman, and Lilach O. Lerman* 962

Angiotensin II regulates 11β-hydroxysteroid dehydrogenase type 2 via AT2 receptors. *Bettina Lanz, Bert Kadereit, Samuel Ernst, Kushiar Shojaati, Maja Causevic, Brigitte M. Frey, Felix J. Frey, and Markus G. Mohaupt* 970

Renal hemodynamic and tubular responses to salt in women using oral contraceptives. *Antoinette Pechere-Bertschi, Marc Maillard, Hans Stalder, Paul Bischof, Marc Fathi, Hans R. Brunner, and Michel Burnier* 1374

Endothelial dysfunction and reduced nitric oxide in resistance arteries in autosomal-dominant polycystic kidney disease. *Dan Wang, Jens Iversen, Christopher S. Wilcox, and Svend Strandgaard* 1381

Unusual absence of endothelium-dependent or -independent vasodilatation to purines or pyrimidines in the rat renal artery. *Gillian E. Knight, Rachel Oliver-Redgate, and Geoffrey Burnstock* 1389

Renal neuronal nitric oxide synthase protein expression as a marker of renal injury. *Attila J. Szabo, Laszlo Wagner, Aaron Erdely, Kim Lau, and Chris Baylis* 1765

Role of excess volume in the pathophysiology of hypertension in chronic kidney disease. *Nina Vasavada and Rajiv Agarwal* 1772

Protein restriction and AST-120 improve lipoprotein lipase and VLDL receptor in focal glomerulosclerosis. *Tadashi Sato, Kaihui Liang, and Nosratola D. Vaziri* 1780

Renin and kallikrein in connecting tubule of mouse. *Andreas Rohrwasser, Tomoaki Ishigami, Barbu Gociman, Pierre Lantelme, Terry Morgan, Tong Cheng, Elaine Hillas, Shuhua Zhang, Kenneth Ward, May Bloch-Faure, Pierre Meneton, and J.M. Lalouel* 2155

Insulin receptors and renal sodium handling in hypertensive fructose-fed rats. *Cristiana Catena, Alessandro Cavarape, Marileda Novello, Gilberta Giacchetti, and Leonardo A. Sechi* 2163

Cyclooxygenase-2 (COX-2) inhibition limits abnormal COX-2 expression and progressive injury in the remnant kidney. *Clarice Kazue Fujihara, Gláucia Rutigliano Antunes, Ana Lúcia Mattar, Natalie Andreoli, Denise Maria Avancini Costa Malheiros, Irene Lourdes Noronha, and Roberto Zatz* 2172

The effect of *N*-acetylcysteine on renal function, nitric oxide, and oxidative stress after angiography. *Shai Efrati, Victor Dishy, Michael Averbukh, Alex Blatt, Ricardo Krakover, Joshua Weisgarten, Jason D. Morrow, Michael C. Stein, and Ahuva Golik* 2182

CLINICAL NEPHROLOGY-EPIDEMIOLOGY-CLINICAL TRIALS

Association of decreased quality of life and erectile dysfunction in hemodialysis patients. *Sylvia E. Rosas, Marshall Joffe, Eunice Franklin, Brian L. Strom, Wayne Kotzker, Colleen Brensinger, Eric Grossman, Dale B. Glasser, and Harold I. Feldman* 232

Renal dysfunction and serious infections after open-heart surgery. *Charuhas V. Thakar, Jean-Pierre Yared, Sarah Worley, Kathy Cotman, and Emil P. Paganini* 239

Renal cell carcinoma as a cause of end-stage renal disease in the United States: Patient characteristics and survival. *Kevin P. Stiles, Michael J. Moffatt, Lawrence Y. Agodoa, S. John Swanson, and Kevin C. Abbott* 247

Nonadherence in hemodialysis: Associations with mortality, hospitalization, and practice patterns in the DOPPS. *Rajiv Saran, Jennifer L. Bragg-Gresham, Hugh C. Rayner, David A. Goodkin, Marcia L. Keen, Paul C. van Dijk, Kiyoshi Kurokawa, Luis Piera, Akira Saito, Shunichi Fukuhara, Eric W. Young, Philip J. Held, and Friedrich K. Port* 254

Coronary artery, aortic wall, and valvular calcification in nondialyzed individuals with type 2 diabetes and renal disease. *Raffi Merjanian, Matthew Budoff, Sharon Adler, Nancy Berman, and Rajnish Mehrotra* 263

A randomized controlled trial of blood flow and stenosis surveillance of hemodialysis grafts. *Sunanda J. Ram, Jack Work, Gloria C. Caldito, J. Mark Eason, Aslam Pervez, and William D. Paulson* 272

Toxic acute tubular necrosis following treatment with zoledronate (Zometa). *Glen S. Markowitz, Paul L. Fine, Jay I. Stack, Cheryl L. Kunis, Jai Radhakrishnan, Winicjusz Palecki, Jin Park, Samih H. Nasr, Shirley Hoh, David S. Siegel, and Vivette D. D'Agati* 281

Pharmacokinetics of oral micronized β-estradiol in postmenopausal women receiving maintenance hemodialysis. *Catherine Stehman-Breen, Gail Anderson, Debbie Gibson, Annamaria T. Kausz, and Susan Ott* 290

The cost-effectiveness of maintaining higher hemoglobin targets with erythropoietin in hemodialysis patients. *Marcello Tonelli, Wolfgang C. Winkelmayer, Kailash K. Jindal, William F. Owen, Jr., and Braden J. Manns* 295

Effect of iron treatment on circulating cytokine levels in ESRD patients receiving recombinant human erythropoietin. *Günter Weiss, Edgar Meusburger, Gudrun Radacher, Katja Garimorth, Ulrich Neyer, and Gert Mayer* 572

Chlamydia pneumoniae, overall and cardiovascular mortality in end-stage renal disease (ESRD). *Carmine Zoccali, Francesca Mallamaci, Giovanni Tripepi, Saverio Parlongo, Sebastiano Cutrupi, Frank Antonio Benedetto, Grazia Bonanno, Giuseppe Seminara, Pasquale Fatuzzo, Francesco Rapisarda, and Lorenzo Salvatore Malatino* 579

Lithium-induced nephropathy: Rate of progression and prognostic factors. *Claire Presne, Fadi Fakhouri, Laure-Hélène Noël, Bénédicte Stengel, Christian Even, Henri Kreis, Françoise Mignon, and Jean-Pierre Grünfeld* 585

A randomized, placebo-controlled trial of IGF-1 for delayed graft function: A human model to study postischemic ARF. *Michelle A. Hladunewich, Geraldine Corrigan, Geraldine C. Derby, Deepa Ramaswamy, Neeraja Kambham, John D. Scandling, and Bryan D. Myers* 593

Elevated risk of stroke among patients with end-stage renal disease. *Stephen L. Seliger, Daniel L. Gillen, W.T. Longstreth, Jr., Bryan Kestenbaum, and Catherine O. Stehman-Breen* 603

Chronic kidney disease, anemia, and incident stroke in a middle-aged, community-based population: The ARIC Study. *Jerome L. Abramson, Claudine T. Jurkovitz, Viola Vaccarino, William S. Weintraub, and William McClellan* 610

Association of interleukin-6 −174G/C promoter polymorphism with hypertension and left ventricular hypertrophy in dialysis patients. *Attilio Losito, Kamini Kalidas, Stefania Santoni, and Steve Jeffery* .. 616

Differences in intermediate outcomes for Asian and non-Asian adult hemodialysis patients in the United States. *Diane L. Frankenfield, Sylvia P.B. Ramirez, William M. McClellan, Pamela R. Frederick, and Michael V. Rocco* 623

"Deceased" double-blind randomized crossover trial of two loop diuretics in chronic kidney disease. *Nina Vasavada, Chandan Saha, and Rajiv Agarwal* 632

Prognostic value of nonlinear heart rate dynamics in hemodialysis patients with coronary artery disease. *Hidekatsu Fukuta, Junichiro Hayano, Shinji Ishihara, Seiichiro Sakata, Nobuyuki Ohte, Hiroshi Takahashi, Masaki Yokoya, Takanobu Toriyama, Hirohisa Kawahara, Kazuhiro Yajima, Kenji Kobayashi, and Genjiro Kimura* 641

Alpha and gamma tocopherol metabolism in healthy subjects and patients with end-stage renal disease. *Jonathan Himmelfarb, Jane Kane, Ellen McMonagle, Eric Zaltas, Steve Bobzin, Sekhar Boddupalli, Stephen Phinney, and Guy Miller* 978

Percutaneous maxacalcitol injection therapy regresses hyperplasia of parathyroid and induces apoptosis in uremia. *Kazuhiro Shiizaki, Ikuji Hatamura, Shigeo Negi, Nobuhiko Narukawa, Masahide Mizobuchi, Toshifumi Sakaguchi, Akira Ooshima, and Tadao Akizawa* 992

The quality of life and cost utility of home nocturnal and conventional in- center hemodialysis. *Philip A. McFarlane, Ahmed M. Bayoumi, Andreas Pierratos, and Donald A. Redelmeier* 1004

Expression of TGF-β-induced matrix protein βig-h3 is up-regulated in the diabetic rat kidney and human proximal tubular epithelial cells treated with high glucose. *Suk-Hee Lee, Jong-Sup Bae, Sun-Hee Park, Byung-Heon Lee, Rang-Woon Park, Je-Yong Choi, Jae Yong Park, Sung-Woo Ha, Yong-Lim Kim, Tae-Hwan Kwon, and In-San Kim* 1012

The association between gout and nephrolithiasis in men: The Health Professionals' Follow-Up Study. *Holly J. Kramer, Hyon K. Choi, Karen Atkinson, Meir Stampfer, and Gary C. Curhan* 1022

Conversion from cyclosporine to azathioprine at three months reduces the incidence of chronic allograft nephropathy. *Rene C. Bakker, Adrianus A.M.J. Hollander, Marko J.K. Mallat, Jan A. Bruijn, Leendert C. Paul, and Johan W. De Fijter* 1027

Renal structure in early autosomal-dominant polycystic kidney disease (ADPKD): The Consortium for Radiologic Imaging Studies of Polycystic Kidney Disease (CRISP) cohort. *Arlene B. Chapman, Lisa M. Guay-Woodford, Jared J. Grantham, Vicente E. Torres, Kyongtae T. Bae, Deborah A. Baumgarten, Philip J. Kenney, Bernard F. King, Jr., James F. Glockner, Louis H. Wetzel, Marijn E. Brummer, W. Charles O'Neill, Michelle L. Robbin, William M. Bennett, Saulo Klahr, Gladys H. Hirschman, Paul L. Kimmel, Paul A. Thompson, and J. Philip Miller* 1035

Hydroxyethyl starch and change in renal function in patients undergoing coronary artery bypass graft surgery. *Wolfgang C. Winkelmayer, Robert J. Glynn, Raisa Levin, and Jerry Avorn* 1046

Angiotensinogen gene variation and renoprotective efficacy of renin-angiotensin system blockade in IgA nephropathy. *Ichiei Narita, Shin Goto, Noriko Saito, Jin Song, Kentaro Omori, Daisuke Kondo, Minoru Sakatsume, and Fumitake Gejyo* 1050

Reduced kidney size in patients with simple renal cysts. *Jafar Al-Said and W. Charles O'Neill* 1059

Renal insufficiency and anemia are independent risk factors for death among patients with acute myocardial infarction. *Robert D. Langston, Rodney Presley, W. Dana Flanders, and William M. McClellan* 1398

Predominant role of Fcγ RIII in the induction of accelerated nephrotoxic glomerulonephritis. *Takayuki Fujii, Yuki Hamano, Shiro Ueda, Bunshiro Akikusa, Sho Yamasaki, Makoto Ogawa, Hiromitsu Saisho, J. Sjef Verbeek, Shinsuke Taki, and Takashi Saito* 1406

Determinants of glomerular hypofiltration in aging humans. *Khoi Hoang, Jane C. Tan, Geraldine Derby, Kristina L. Blouch, Marilyn Masek, Irene Ma, Kevin V. Lemley, and Bryan D. Myers* 1417

Predicting GFR in children and adults: A comparison of the Cockcroft-Gault, Schwartz, and Modification of Diet in Renal Disease formulas. *Annick Pierrat, Elisabeth Gravier, Claude Saunders, Marie-Véronique Caira, Zakia Aït-Djafer, Bernard Legras, and Jean-Pierre Mallié* 1425

Ethnic differences and determinants of proteinuria among South Asian subgroups in Pakistan. *Tazeen H. Jafar, Nish Chaturvedi, Asma Gul, Abdul Q. Khan, Christopher H. Schmid, and Andrew S. Levey* 1437

Maps of end-stage renal disease and amounts of angiotensin-converting enzyme inhibitors prescribed in Japan. *Takeshi Usami, Naoyuki Nakao, Michio Fukuda, Oki Takeuchi, Yoshinobu Kamiya, Atsuhiro Yoshida, and Genjiro Kimura* 1445

Better renoprotective effect of angiotensin II antagonist compared to dihydropyridine calcium channel blocker in childhood. *Anne C. Gartenmann, Emilio Fossali, Rodo O. von Vigier, Giacomo D. Simonetti, Jan Schmidtko, Alberto Edefonti, and Mario G. Bianchetti* 1450

Risk factors for upper gastrointestinal bleeding among end-stage renal disease patients. *Haimanot Wasse, Daniel L. Gillen, Adrianne M. Ball, Bryan R. Kestenbaum, Stephen L. Seliger, Donald Sherrard, Ïand Catherine O. Stehman-Breen* 1455

Long-term renal survival in HIV-associated nephropathy with angiotensin-converting enzyme inhibition. *Alice Wei, Godfrey C. Burns, Brent A. Williams, Nazim B. Mohammed, Paul Visintainer, and Steven L. Sivak* 1462

Epidermal basement membrane α5(IV) expression in females with Alport syndrome and severity of renal disease. *Laura Massella, Andrea Onetti Muda, Tullio Faraggiana, Cristiano Bette, Alessandra Renieri, and Gianfranco Rizzoni* 1787

The role of parental hypertension in the frequency and age of diagnosis of hypertension in offspring with autosomal-dominant polycystic kidney disease. *Robert W. Schrier, Ann M. Johnson, Kim McFann, and Arlene B. Chapman* 1792

Disease progression and outcomes in chronic kidney disease and renal transplantation. *Arjang Djamali, Christina Kendziorski, Peter C. Brazy, and Bryan N. Becker* 1800

End-stage renal disease in Scotland: Outcomes and standards of care. *Wendy Metcalfe, Izhar H. Khan, Gordon J. Prescott, Keith Simpson, and Alison M. MacLeod, on Behalf of the Scottish Renal Registry* 1808

Urinary neopterin concentrations in patients with Balkan endemic nephropathy (BEN). *Draga Toncheva, Angel S. Galabov, Andreas Laich, Srebrena Atanassova, Bojin Kamarinchev, Tzvetan Dimitrov, and Dietmar Fuchs* 1817

Supplemented very low protein diet ameliorates responsiveness to erythropoietin in chronic renal failure. *Biagio R. Di Iorio, Roberto Minutolo, Luca De Nicola, Vincenzo Bellizzi, Fausta Catapano, Carmela Iodice, Roberto Rubino, and Giuseppe Conte* 1822

Hepatic lipase mutation may reduce vascular disease prevalence in hemodialysis patients with high CETP levels. *Hideki Kimura, Ryoichi Miyazaki, Toshio Imura, Shinya Masunaga, Satoru Suzuki, Fumitake Gejyo, and Haruyoshi Yoshida* 1829

Body size and outcomes on peritoneal dialysis in the United States. *Jon J. Snyder, Robert N. Foley, David T. Gilbertson, Edward F. Vonesh, and Allan J. Collins* 1838

Amlodipine reverses the elevation in $[Ca^{2+}]i$ and the impairment of phagocytosis in PMNLs of NIDDM patients. *Ewa Krol, Rubina Agueel, Sultana Banue, Miroslaw Smogorzewski, Dinesh Kumar, and Shaul G. Massry* 2188

Evidence for impaired assimilation of protein in chronic renal failure. *Bert Bammens, Kristin Verbeke, Yves Vanrenterghem, and Pieter Evenepoel* 2196

Causes and consequences of kidney loss in patients with nephrolithiasis. *Elaine Worcester, Joan H. Parks, Michelle A. Josephson, Ronald A. Thisted, and Fredric L. Coe* 2204

Magnetic resonance measurements of renal blood flow as a marker of disease severity in autosomal-dominant polycystic kidney disease. *Bernard F. King, Vicente E. Torres, Marijn E. Brummer, Arlene B. Chapman, Kyongtae T. Bae, James F. Glockner Kraisthith Arya, Joel P. Felmlee, Jared J. Grantham, Lisa M. Guay-Woodford, William M. Bennett, Saulo Klahr, Gladys H. Hirschman, Paul L. Kimmel, Paul A. Thompson, J. Phillip Miller, and the Consortium for Radiologic Imaging Studies of Polycystic Kidney Disease (CRISP)* 2214

Effect of starting with hemodialysis compared with peritoneal dialysis in patients new on dialysis treatment: A randomized, controlled trial. *Johanna C. Korevaar, G.W. Feith, Friedo W. Dekker, Jeannette G. van Manen, Elisabeth W. Boeschoten, Patrick M.M. Bossuyt, Raymond T. Krediet for The NECOSAD Study Group* 2222

DIALYSIS-TRANSPLANTATION

Change from three times a week on-line hemodiafiltration to short daily on-line hemodiafiltration. *Francisco Maduell, Victor Navarro, Eduardo Torregrosa, Asunción Rius, Fernando Dicenta, Maria Carmen Cruz, and J. Antonio Ferrero* 305

Cytokine single nucleotide polymorphisms and intrarenal gene expression in chronic allograft nephropathy in children. *Anette Melk, Thomas Henne, Thorsten Kollmar, Jürgen Strehlau, Kay Latta, Gisela Offner, Gian S. Jhangri, Jochen H.H. Ehrich, and Christian von Schnakenburg* 314

Regulation of apoptosis by lethal cytokines in human mesothelial cells. *Marina Penélope Catalan, Dolores Subirá, Ana Reyero, Rafael Selgas, Arturo Ortiz-Gonzalez, Jesús Egido, and Alberto Ortiz* .. 321

Connective tissue growth factor and its regulation in the peritoneal cavity of peritoneal dialysis patients. *Krystyna H. Zarrinkalam, Jodie M. Stanley, Julia Gray, Noelynn Oliver, and Randall J. Faull* 331

Health-related quality of life as a predictor of mortality and hospitalization: The Dialysis Outcomes and Practice Patterns Study (DOPPS). *Donna L. Mapes, Antonio Alberto Lopes, Sudtida Satayathum, Keith P. McCullough, David A. Goodkin, Francesco Locatelli, Shunichi Fukuhara, Eric W. Young, Kiyoshi Kurokawa, Akira Saito, Jürgen Bommer, Robert A. Wolfe, Philip J. Held, and Friedrich K. Port* 339

Effect of Kt/V on survival and clinical outcome in CAPD patients in a randomized prospective study. *Wai-Kei Lo, Yiu-Wing Ho, Chun-Sang Li, Kin-Shing Wong, Tak-Mao Chan, Alex Wai-Yin Yu, Flora So-King Ng, and Ignatius Kum-Po Cheng* 649

Resource utilization among kidney transplant recipients. *Samina Khan, Hocine Tighiouart, Aarti Kalra, Gowri Raman, Richard J. Rohrer, and Brian J.G. Pereira* 657

Influence of surveillance renal allograft biopsy on diagnosis and prognosis of polyomavirus-associated nephropathy. *Christopher K. Buehrig, Donna J. Lager, Mark D. Stegall, Michelle A. Kreps, Walter K. Kremers, James M. Gloor, Thomas R. Schwab, Jorge A. Velosa, Mary E. Fidler, Timothy S. Larson, and Matthew D. Griffin* 665

Ten-year survival of second kidney transplants: Impact of immunologic factors and renal function at 12 months. *Stéphanie Coupel, Magali Giral-Classe, Georges Karam, Jean-François Morcet, Jacques Dan-Üjytal, Diego Cantarovich, Gilles Blancho, Jean-Denis Bignon, Pascal Daguin, Jean-Paul Soulillou, and Maryvonne Hourmant* 674

Impact of surgeon and surgical center characteristics on choice of permanent vascular access. *Ann M. O'Hare, R. Adams Dudley, Denise M. Hynes, Charles E. McCulloch, Daniel Navarro, Philip Colin, Kevin Stroupe, Joseph Rapp, and Kirsten L. Johansen* 681

Perioperative topical bovine thrombin exposure is not associated with hemodialysis graft thrombosis. *Mark D. Vannorsdall, Yale S. Arkel, De-Hui Ku, F. Lee Lucas, and Jonathan Himmelfarb* 690

Decreased renal excretion of soluble interleukin-2 receptor α after treatment with daclizumab. *Cornelis G. ter Meulen, Joop H.C. Göertz, Ina S. Klasen, Carla M.T.A. Verweij, Luuk B. Hilbrands, Jack F.M. Wetzels, and Andries J. Hoitsma* 697

Reduced hemodialysis-induced oxidative stress in end-stage renal disease patients by electrolyzed reduced water. *Kuo-Chin Huang, Chih-Ching Yang, Kun-Tai Lee, and Chiang-Ting Chien* 704

The role of hyperparathyroidism, erythropoietin therapy, and CMV infection in the failure of arteriovenous fistula in hemodialysis. *Giuseppe Grandaliano, Annalisa Teutonico, Arcangelo Allegretti, Riccardo Losappio, Andrea Mancini, Loreto Gesualdo, Francesco Paolo Schena, and Giovanni Pertosa* 715

Infective endocarditis in dialysis patients: New challenges and old. *Timothy Doulton, Nikhant Sabharwal, Hugh S. Cairns, Silke Schelenz, Susannah Eykyn, Patrick O'Donnell, John Chambers, Conell Austen, and David J.A. Goldsmith* 720

High-dose parenteral iron sucrose depresses neutrophil intracellular killing capacity. *Robert Deicher, Farzad Ziai, Gerald Cohen, Marcus Müllner, and Walter H. Hörl* 728

Differences in bone turnover and intact PTH levels between African American and Caucasian patients with end-stage renal disease. *B. Peter Sawaya, Rezkalla Butros, Shehzab Naqvi, Zhaopo Geng, Hanna Mawad, Robert Friedler, Paolo Fanti, Marie-Claude Monier-Faugere, and Hartmut H. Malluche*..... 737

Viral regulatory region sequence variations in kidney tissue obtained from patients with BK virus nephropathy. *Parmjeet Randhawa, Debbie Zygmunt, Ron Shapiro, Abhay Vats, K. Weck, P. Swalsky, and Sydney Finkelstein*..... 743

The effect of PMMA-based protein-leaking dialyzers on plasma homocysteine levels. *Francesco Galli, Serena Benedetti, Umberto Buoncristiani, Marta Piroddi, Carmela Conte, Franco Canestrari, Emanuela Buoncristiani, and Ardesio Floridi*..... 748

Antiphospholipid antibodies as a risk factor for atherosclerotic events in renal transplant recipients. *Didier Ducloux, Emmanuelle Bourrinet, Gérard Motte, and Jean-Marc Chalopin* 1065

Impact of dialysis modality on survival of new ESRD patients with congestive heart failure in the United States. *Austin G. Stack, Donald A. Molony, Noor S. Rahman, Akinsansoye Dosekun, and Bhamidipati Murthy* 1071

Glycosaminoglycan and proteoglycan inhibit the depolymerization of β_2-microglobulin amyloid fibrils in vitro. *Itaru Yamaguchi, Hironori Suda, Naoki Tsuzuike, Kouichi Seto, Masaharu Seki, Yukiya Yamaguchi, Kazuhiro Hasegawa, Naoki Takahashi, Suguru Yamamoto, Fumitake Gejyo, and Hironobu Naiki*..... 1080

High vibration perception threshold and autonomic dysfunction in hemodialysis patients with intradialysis hypotension. *Po-Tsang Lee, Hua-Chang Fang, Chien-Liang Chen, Hsiao-Min Chung, Yee-Hsuan Chiou, and Kang-Ju Chou* 1089

Effect of *TCN2* 776C>G on vitamin B_{12} cellular availability in end-tage renal disease patients. *Manuela Födinger, Mario Veitl, Sonja Skoupy, Jadwiga Wojcik, Claudia Röhrer, Wolfgang Hagen, Heidi Puttinger, Anna-Christine Hauser, Andreas Vychytil, and Gere Sunder-Plassmann* 1095

Transforming growth factor β1 genotype polymorphisms determine AV fistula patency in hemodialysis patients. *Gunnar H. Heine, Christof Ulrich, Urban Sester, Martina Sester, Hans Köhler, and Matthias Girndt* 1101

Anthropometrically estimated total body water volumes are larger than modeled urea volume in chronic hemodialysis patients: Effects of age, race, and gender. *John T. Daugirdas, Tom Greene, Thomas A. Depner, Cameron Chumlea, Michael J. Rocco, and Glenn M. Chertow, for the Hemodialysis (HEMO) Study Group*..... 1108

Anemia in pediatric hemodialysis patients: Results from the 2001 ESRD Clinical Performance Measures Project. *Diane L. Frankenfield, Alica M. Neu, Bradley A. Warady, Barbara A. Fivush, Curtis A. Johnson, and Andrew S. Brem* 1120

The impact of immune-activating processes following transplantation on chronic allograft nephropathy. *Christoph Heidenhain, Anja Reutzel-Selke, Ulrike Bachmann, Sven Jonas, Andreas Pascher, Frank Ulrich, Johann Pratschke, Peter Neuhaus, Hans-Dieter Volk, and Stefan G. Tullius* 1125

Impact of carotid atherosclerosis on long-term mortality in chronic hemodialysis patients. *Akihiko Kato, Takako Takita, Yukitaka Maruyama, Hiromichi Kumagai, and Akira Hishida* 1472

Glycemic control in diabetic CAPD patients assessed by continuous glucose monitoring system (CGMS). *Jennifer Marshall, Peter Jennings, Adrian Scott, Richard J. Fluck, and Christopher W. McIntyre* 1480

Aggressive treatment of early fistula failure. *Gerald A. Beathard, Perry Arnold, Jerry Jackson, Terry Litchfield, and Physician Operators Forum of RMS Lifeline* 1487

Increased albumin and fibrinogen synthesis rate in patients with chronic renal failure. *Berthil H.C.M.T. Prinsen, Ton J. Rabelink, Jaap J. Beutler, George A. Kaysen, Jose de Boer, Walther H. Boer, E. Christiaan Hagen, Ruud Berger, and Monique G.M. de Sain-van der Velden* 1495

On-line mixed hemodiafiltration with a feedback for ultrafiltration control: Effect on middle-molecule removal. *Luciano A. Pedrini and Vincenzo De Cristofaro* 1505

Hemoglobin variability in epoetin-treated hemodialysis patients. *Jeffrey S. Berns, Hafez Elzein, Robert I. Lynn, Steven Fishbane, Ira S. Meisels, and Peter B. DeOreo* 1514

Effect of β_2-microglobulin adsorption column on dialysis-related amyloidosis. *Takaya Abe, Kazuhiro Uchita, Hikari Orita, Motohiro Kamimura, Minoru Oda, Hirohito Hasegawa, Hirotsugu Kobata, Masaaki Fukunishi, Masami Shimazaki, Tomiya Abe, Tadao Akizawa, and Suhail Ahmad* 1522

Expression of urokinase plasminogen activator and its receptor during acute renal allograft rejection. *Joris J.T.H. Roelofs, Ajda T. Rowshani, José G. van den Berg, Nike Claessen, Jan Aten, Ineke J.M. ten Berge, Jan J. Weening, and Sandrine Florquin* 1845

Glucose degradation products (GDP) retard remesothelialization independently of D-glucose concentration. *Llinos W. Morgan, Anders Wieslander, Malcolm Davies, Takashi Horiuchi, Yuji Ohta, M. Janine Beavis, Kathryn J. Craig, John D. Williams, and Nicholas Topley* 1854

Dynamics of PTH secretion in hemodialysis patients as determined by the intact and whole PTH assays. *Rafael Santamaria, Yolanda Almaden, Arnold Felsenfeld, Alejandro Martin-Malo, Ping Gao, Tom Cantor, Pedro Aljama, and Mariano Rodriguez* 1867

Relationship between duration of brain death and hemodynamic (in)stability on progressive dysfunction and increased immunologic activation of donor kidneys. *Joost A.B. van der Hoeven, Grietje Molema, Gert J. Ter Horst, Reni L. Freund, Janneke Wiersema, Reinout van Schilfgaarde, Henri G.D. Leuvenink, and Rutger J. Ploeg* 1874

Aristolochic acid nephropathy and the peritoneum: Functional, structural, and molecular studies. *Gaëlle Gillerot, Eric Goffin, Pierre Moulin, Volker M. Arlt, David H. Phillips, Jean-Pierre Cosyns, and Olivier Devuyst* 1883

Epidemiology of vascular access in the Australian hemodialysis population. *Kevan R. Polkinghorne, Stephen P. McDonald, Robert C. Atkins, and Peter G. Kerr* 1893

Health-related quality of life among dialysis patients on three continents: The Dialysis Outcomes and Practice Patterns Study. *Shunichi Fukuhara, Antonio Alberto Lopes, Jennifer L. Bragg-Gresham, Kiyoshi Kurokawa, Donna L. Mapes, Tadao Akizawa, Jürgen Bommer, Bernard J. Canaud, Friedrich K. Port, and Philip J. Held, for the Worldwide DOPPS* 1903

Activation of hepatocyte growth factor/activin A/follistatin system during hemodialysis: Role of heparin. *Jacek Borawski, Beata Naumnik, and Michał Myśliwiec* 2229

Removal of middle molecules and protein-bound solutes by peritoneal dialysis and relation with uremic symptoms. *Bert Bammens, Pieter Evenepoel, Kristin Verbeke, and Yves Vanrenterghem* 2238

Circulating level of α_2-macroglobulin–β_2-microglobulin complex in hemodialysis patients. *Yoshihiro Motomiya, Yukio Ando, Katsuki Haraoka, Xuguo Sun, Hisahiko Iwamoto, Tomonori Uchimura, and Ikuro Maruyama* 2244

ACE inhibition limits chronic injury of kidney transplant even with treatment started when lesions are established. *Marina Noris, Marilena Mister, Anna Pezzotta, Nadia Azzollini, Paola Cassis, Ariela Benigni, Elena Gagliardini, Norberto Perico, and Giuseppe Remuzzi* 2253

Determination of urea distribution volume for Kt/V assessed by conductivity monitoring. *Andreas Wuepper, James Tattersall, Matthias Kraemer, Martin Wilkie, and Lorraine Edwards* 2262

Circulating concentration of FGF-23 increases as renal function declines in patients with chronic kidney disease, but does not change in response to variation in phosphate intake in health volunteers. *Tobias Larsson, Ulf Nisbeth, Östen Ljunggren, Harald Jüppner, and Kenneth B. Jonsson* 2272

Image analysis of remesothelialization following chemical wounding of cultured human peritoneal mesothelial cells: The role of hyaluronan synthesis. *Takashi Horiuchi, Keiichi Miyamoto, Sunao Miyamoto, Mika Fujita, Nami Sano, Kyoko Minamiyama, Yuichirou Fujimura, Koichi Nagasawa, Chie Otsuka, and Yuji Ohta* 2280

Plasma concentration of coupling factor 6 and cardiovascular events in patients with end-stage renal disease. *Tomohiro Osanai, Masayuki Nakamura, Satoko Sasaki, Hirofumi Tomita, Masayuki Saitoh, Hiroshi Osawa, Hideaki Yamabe, Shuichi Murakami, Koji Magota, and Ken Okumura* 2291

Prescribing an equilibrated intermittent hemodialysis dose in intensive care unit acute renal failure. *Nigel S. Kanagasundaram, Tom Greene, A. Brett Larive, John T. Daugirdas, Thomas A. Depner, Michelle Garcia, and Emil P. Paganini, on behalf of the Project for the Improvement of the Care of Acute Renal Dysfunction (PICARD) Study Group* 2298

Proliferation in hyperplastic human and normal rat parathyroid glands: Role of phosphate, calcitriol, and gender. *Yolanda Almaden, Arnold J. Felsenfeld, Mariano Rodriguez, Sagrario Cañadillas, Fernando Luque, Alicia Bas, Juan Bravo, Vicente Torregrosa, Alfonso Palma, Blanca Ramas, Carmen Sanchez, Alejandro Martin-Malo, and Antonio L. Canalejo* 2311

TECHNICAL NOTE

Model of robust induction of glomerulosclerosis in mice: Importance of genetic background. *Li-Jun Ma and Agnes B. Fogo* 350

Validation of endogenous controls for gene expression analysis in microdissected human renal biopsies. *Holger Schmid, Clemens D. Cohen, Anna Henger, Sandra Irrgang, Detlef Schlöndorff, and Matthias Kretzler* 356

Measuring transport of water across the peritoneal membrane. *Ramzana B. Asghar, Ann M. Diskin, Patrik Spanel, David Smith, and Simon J. Davies* 1911

EDITORIALS

Congenital ureteral obstruction: New technology, new targets. *Julie R. Ingelfinger* 361

Unveiling mesangial mysteries. *Dale R. Abrahamson* 363

Nephrin sends us signals. *Peter W. Mathieson* 756

Why should an angiogenic factor modulate tubular structure in diabetic nephropathy? Some answers, more questions. *Fuad N. Ziyadeh and Gunter Wolf* 758

Why study membranous nephropathy in rats?. *Richard J. Quigg* 2318

From the ureteric bud to the penome. *Sanjay K. Nigam* 2320

A blast from the past? *Gopala K. Rangan and David C.H. Harris* 1134

How to improve the early diagnosis of Fabry's disease? *Jean-Pierre Grünfeld* 1136

Urinary podocytes: Lost and found alive. *Peter Mundel* 1529

Scaffolds: Orchestrating proteins to achieve concerted function. *Orson W. Moe* 1916

Lipoxygenases in renal injury-Loading the matrix. *Balakuntalam S. Kasinath* 1918

LETTERS TO THE EDITOR

Podocin mutations in sporadic focal-segmental glomerulosclerosis occurring in adulthood. *Gianluca Caridi, Roberta Bertelli, Francesco Scolari, Simone Sanna-Cherchi, Marco Di Duca, and Gian Marco Ghiggeri* 365

Mycophenolate mofetil prevents development of urinary protein in autoimmune nephritis. *Shin-Ichi Takeda, Masafumi Takahashi, Eiji Kusano, and Eiji Kobayashi* 365

Myocardial function in Bartter's and Gitelman's syndromes. *Roldano Scognamiglio, Andrea Semplicini, and Lorenzo A. Calò* 366

Ozonetherapy in a dialyzed patient with calcific uremic arteriolopathy. *Bogdan Biedunkiewicz, Leszek Tylicki, Monika Lichodziejewska-Niemierko, Tomasz Liberek, and Boleslaw Rutkowski* 367

Peripheral blood myeloperoxidase activity increases during hemodialysis. *Abraham Rutgers, Peter Heeringa, Jeroen P. Kooman, Frank M. van der Sande, and Jan Willem Cohen Tervaert* 760

Albuminuria and renal insufficiency prevalence guides population screening. *Esther M. Briganti, Robert C. Atkins, and Steven J. Chadban* 760

Reverse epidemiology and obesity in maintenance dialysis patients. *Kevin C. Abbott* 1138

Mycophenolate mofetil (MMF) therapeutic approach in patients with chronic glomerulonephritis (GN). *Barbara Bullo, Zbigniew Zdrojewski, and Boleslaw Rutkowski* 1139

Impact of thyroid dysfunction on serum cystatin C. *Roland Schmitt and Sebastian Bachmann* 1139

Prevalence of hyperhomocysteinemia in male hemodialysis patients. *Carmelo Libetta, Manuela Zucchi, Elena Gori, Vincenzo Sepe, Giulietta Bezoari, and Antonio Dal Canton* 1531

Vitamin C-Pro- or antioxidant? *Jenny M. Cross, Raymond J. MacAllister, and Robin G. Woolfson* ... 1531

Estimating protein intake in maintenance hemodialysis patients. *Vincenzo Bellizzi, Vincenzo Terracciano Giuseppe Conte, Luca de Nicola, and Biagio di Iorio* 1532

Plasma level of soluble Fas is an independent marker of cardiovascular disease in ESRD patients. *Pascal Meier and Edouard Blanc* 1532

Sevelamer attenuates the progression of coronary and aortic calcification in hemodialysis patients. *Rebecca Backenroth* 1533

Renal disease medications and evidence-biased medicine. *Pavlos C. Goudas* 1533

Supplementary data to the study of ESRD Map in Japan. *Naoyuki Nakao, Takeshi Usamai, Michio Fukuda, Oki Takeuchi, Yoshinobu Kamiya, Atsushi Yoshida, and Genjiro Kimura* 1920

Stopping progression in familial juvenile hyperuricemic nephropathy with benzbromarone? *Karl Lhotta* 1920

Submaximal dose of trandolapril in the COOPERATE trial? *Naoyuki Nakao and Genjiro Kimura* . 1921

Inverse association between homocysteine and vascular endothelial growth factor receptor 2 serum levels in hemodialyzed and kidney transplanted patients. *Vincenzo Sepe, Carmelo Libetta, Natalia Rossi, Cristina Guidetti, and Antonio Dal Canton* 1922

Reverse epidemiology and hemodialysis blood pressure. *Bernard Charra, Charles Chazot, Guillaume Jean, Jean-Claude Terrat, Thierry Vanel, Jean-Marc Hurot, Christie Lorriaux, and Cyril VoVan* 2323

Inadequacy of antiretroviral drug dosage adjustment in HIV patients receiving dialysis. *Hassane Izzedine, Vincent Launay-Vacher, and Gilbert Deray* 2324

Calcimetic AMG 073 at 50 and 100 mg per day. *Janette Mansour, Mohamed Benyahia, Leid Harbouche, Claire Presne, Philippe Moriniere, and Albert Fournier* 2324

Vitamin C improves vascular resistance in patients with chronic renal failure. *Wei-Teing Chen, Horng-Chin Yan, and Fu-Chiu Yu* 2325

Proteinuria dipstick test: Is it time to change?. *Massimo Gai, Daria Motta, Vincenzo Cantaluppi, Fabrizio Fop, Alberto Jeantet, Giuseppe P. Segoloni, Giorgina B. Piccoli, and Giacomo Lanfranco* ... 2326

Where have all the lanthanum salts gone, long time passing? *Caterina Canavese, Cristina Mereu, Maurizio Nordio, Enrico Sabbioni, and Silvio Aime, on behalf of the Trace Element, Environment and Uremia Study Group of the Italian Society of Nephrology* 2327

Sevelamer: Where are the data? *David A. McCarron* 2329

NEPHROLOGY FORUM

25th Anniversary Nephrology Forum: Retarding the progression of renal disease. *Barry M. Brenner* 369

To have and have not: Health and health care disparities in chronic kidney disease. *Neil R. Powe*.... 763

Chronic renal disease: A growing problem. *Frederick Kaskel* 1141

Anti-glomerular basement membrane disease. *Charles D. Pusey* 1535

End-organ susceptibility as a determinant of renal disease in hypertension. *Leopoldo Raij* 1923

Hypertensive nephrosclerosis African Americans. *Robert B. Toto* 2331

INTERNATIONAL SOCIETY OF NEPHROLOGY 2003 AWARDS

Presentation of the 2001 A.N. Richards Award to Floyd C. Rector, Jr. *Donald Seldin* 379

Acceptance of the 2001 A.N. Richards Award. *Floyd C. Rector, Jr.* 382

Presentation of the 2001 Jean Hamburger Award to Roscoe R. Robinson. *Thomas E. Andreoli* 383

Acceptance of the 2001 Jean Hamburger Award. *Roscoe R. Robinson* 386

Presentation of the 2003 Jean Hamburger Award to J. Stewart Cameron. *Andrew Rees* 1933

Acceptance of the 2003 Jean Hamburger Award. *J. Stewart Cameron* 1935

Presentation of the 2003 Jean Hamburger Award to Robert W. Schrier. *Hugo de Wardener* 1937

Acceptance of the 2003 Jean Hamburger Award. *Robert W. Schrier* 1939

Presentation of 2003 A. N. Richards Award to Marilyn Farquhar. *Dontscho Kerjaschki* 1941

Acceptance of the 2003 A.N. Richards Award. *Marilyn Farquhar* 1943

INTERNATIONAL SOCIETY OF NEPHROLOGY

Membership 387, 773, 1152, 1551, 1945

Meetings 388, 773, 1152, 1551, 1945

Awards and Grants 389, 774, 1152, 1551, 1945

Books Received 1552
Errata 390, 774, 1153
International Society of Nephrology on the Web 387
ISN COMGAN Model Sister Exchange Program 387
Guidelines for Sponsorship of Symposia, Postgraduate Courses, or Workshops by the International Society of Nephrology 387
ISN Archives 388
National Societies 388
Membership 2342
Meeting Announcements 2342
Awards and Grants 2343

ACKNOWLEDGMENT OF CORPORATE SPONSORS 2345

ACKNOWLEDGMENT OF REVIEWERS 2346

AUTHOR INDEX 2351

VOLUME 64 ACCUMULATED TABLE OF CONTENTS 2376

KIDNEY INTERNATIONAL

Volume 64, Supplement 86, October 2003

The participation of the tubulointerstitium in hypertension

and progression of renal disease

Table of contents

Introduction. *Sergio Mezzano, Jesús Egido, and Bernardo Rodríguez-Iturbe* S-1

Renal kallikrein-kinin system damage and salt sensitivity: Insights from experimental models. *Leopoldo G. Ardiles, Carlos D. Figueroa, and Sergio A. Mezzano* S-2

Glomerular hemodynamic changes associated with arteriolar lesions and tubulointerstitial inflammation. *Laura G. Sánchez-Lozada, Edilia Tapia, Richard J. Johnson, Bernardo Rodríguez-Iturbe, and Jaime Herrera-Acosta* S-9

Reciprocal functions of hepatocyte growth factor and transforming growth factor-β1 in the progression of renal diseases: A role for CD44? *Sandrine Florquin and Kasper M.A. Rouschop* S-15

Renal expression of angiotensin type 2 (AT2) receptors during kidney damage. *Marta Ruiz-Ortega, Vanesa Esteban, Yusuke Suzuki, Mónica Ruperez, Sergio Mezzano, Leopoldo Ardiles, Pilar Justo, Alberto Ortiz, and Jesús Egido* S-21

Apoptosis and NFκB activation are simultaneously induced in renal tubulointerstitium in experimental hypertension. *Yasmir Quiroz, Janaury Bravo, Jaime Herrera-Acosta, Richard J. Johnson, and Bernardo Rodríguez-Iturbe* S-27

Effect of simultaneous blockade of AT1 and AT2 receptors on the NFκB pathway and renal inflammatory response. *Vanesa Esteban, Mónica Ruperez, Juan Rodriguez Vita, Elsa Sanchez López, Sergio Mezzano, Juan José Plaza, Jesús Egido, and Marta Ruiz-Ortega* S-33

Renal angiotensin II up-regulation and myofibroblast activation in human membranous nephropathy. *Sergio A. Mezzano, Claudio A. Aros, Alejandra Droguett, M. Eugenia Burgos, Leopoldo G. Ardiles, Claudio A. Flores, Daniel Carpio, Carlos P. Vío, Marta Ruiz-Ortega, and Jesús Egido* S-39

Vimentin and heat shock protein expression are induced in the kidney by angiotensin and by nitric oxide inhibition. *Janaury Bravo, Yasmir Quiroz, Héctor Pons, Gustavo Parra, Jaime Herrera-Acosta, Richard J. Johnson, and Bernardo Rodríguez-Iturbe* S-46

Expression of Smac/Diablo in tubular epithelial cells and during acute renal failure. *Pilar Justo, Ana Sanz, Corina Lorz, Dulcenombre Gómez-Garre, Sergio Mezzano, Jesús Egido, and Alberto Ortiz* ... S-52

Local induction of angiotensin-converting enzyme in the kidney as a mechanism of progressive renal diseases. *Carlos P. Vío and Valerie A. Jeanneret* S-57

Renin-angiotensin system activation and interstitial inflammation in human diabetic nephropathy. *Sergio Mezzano, Alejandra Droguett, M. Eugenia Burgos, Leopoldo G. Ardiles, Claudio A. Flores, Claudio A. Aros, Italo Caorsi, Carlos P. Vío, Marta Ruiz-Ortega, and Jesús Egido* S-64

KIDNEY INTERNATIONAL

Volume 64, Supplement 87, November 2003

Management of comorbidities in kidney disease in the 21st century

Anemia and bone disease

Table of contents

Dedication. *Morrell Michael Avram* S-1

Introduction: Resumative synthesis of contents: It is time for further renoprotection. *Morrell Michael Avram* S-2

Hemoglobin predicts long-term survival in dialysis patients: A 15-year single-center longitudinal study and a correlation trend between prealbumin and hemoglobin. *Morrell Michael Avram, Daniel Blaustein, Paul A. Fein, Naveen Goel, Jyotiprakas Chattopadhyay, and Neal Mittman* S-6

Prospective trials on anemia of chronic disease: The Trial to Reduce Cardiovascular Events with Aranesp® Therapy (TREAT). *Madhumathi Rao and Brian J.G. Pereira* S-12

Anemia of chronic disease: Past, present, and future. *Robert D. Toto* S-20

Chronic kidney disease and cardiovascular disease in the Medicare population. *Allan J. Collins, Shuling Li, David T. Gilbertson, Jiannong Liu, Shu-Cheng Chen, and Charles A. Herzog* S-24

Anemia as a risk factor for cardiovascular disease. *Arema A. Pereira and Mark J. Sarnak* S-32

Erythropoietin should be part of congestive heart failure management. *Donald S. Silverberg, Dov Wexler, Miriam Blum, Doran Schwartz, Yoram Wollman, and Adrian Iaina* S-40

Effect of erythropoietin on exercise capacity in anemic patients with advanced heart failure. *Donna M. Mancini and Chandra Kunavarapu* S-48

Relationship of bioelectrical impedance parameters to nutrition and survival in peritoneal dialysis patients. *Robert Mushnick, Paul A. Fein, Neal Mittman, Naveen Goel, Jyotiprakas Chattopadhyay, and Morrell M. Avram* S-53

Treating azotemia-induced anemia with erythropoietin improves diabetic eye disease. *Eli A. Friedman, Francis A. L'esperance, Jr., Clinton D. Brown, and David H. Berman* S-57

Controversies in iron management. *Allen R. Nissenson and Chaim Charytan* S-64

The safety and efficacy of an accelerated iron sucrose dosing regimen in patients with chronic kidney disease. *Daniel A. Blaustein, Michael H. Schwenk, Jyoti Chattopadhyay, Harinder Singh, Rachid Daoui, Radjeep Gadh, and Morrell M. Avram* S-72

Erythropoeitin dose variation in different facilities in different countries and its relationship to drug resistance. *Roger N. Greenwood, Claudio Ronco, Fiorella Gastaldon, Alessandra Brendolan, Peter Homel, Len Usvyat, Lenore Bruno, Mary Carter, and Nathan W. Levin* S-78

Malnutrition and inflammation in peritoneal dialysis patients. *Paul A. Fein, Neal Mittman, Rajdeep Gadh, Jyotiprakas Chattopadhyay, Daniel Blaustein, Robert Mushnick, and Morrell M. Avram* S-87

Serum albumin concentration in dialysis patients: Why does it remain resistant to therapy? *George A. Kaysen* S-92

Transforming growth factor beta and progression of renal disease. *Phyllis August and Manikkam Suthanthiran* S-99

Obstructive nephropathy and renal fibrosis: The role of bone morphogenic protein-7 and hepatocyte growth factor. *Saulo Klahr and Jeremiah Morrissey* S-105

Overview of renal bone disease: Causes of treatment failure, clinical observations, the changing pattern of bone lesions, and future therapeutic approach. *Francisco Llach and Elvira Fernández* S-113

New assays for parathyroid hormone (PTH) and the relevance of PTH fragments in renal failure. *William G. Goodman* S-120

An update on vitamin D as related to nephrology practice: 2003. *Jack W. Coburn* S-125

The impact of calcimimetics on mineral metabolism and secondary hyperparathyroidism in end-stage renal disease. *Geoffrey A. Block* S-131

KIDNEY INTERNATIONAL

Volume 64, Supplement 88, December 2003

Buffer systems and biocompatibility

in peritoneal dialysis

Table of contents

Introduction. *Olof Heimburger, Clifford Holmes, and Salim Mujais* S-1

Patient and technique survival on peritoneal dialysis in the United States: Evaluation in large incident cohorts. *Amy Guo and Salim Mujais* S-3

Metabolic acidosis in maintenance dialysis patients: Clinical considerations. *Rajnish Mehrotra, Joel D. Kopple, and Marsha Wolfson* S-13

Acid-base profile in patients on PD. *Salim Mujais* S-26

Buffer transport in peritoneal dialysis. *Olof Heimburger and Salim Mujais* S-37

The natural course of peritoneal membrane biology during peritoneal dialysis. *John D. Williams, Kathrine J. Craig, Chris von Ruhland, Nicholas Topley, and Geraint T. Williams, for the Biopsy Registry Study* S-43

Peritoneal dialysis solution biocompatibility: Definitions and evaluation strategies. *Clifford J. Holmes and Dirk Faict* S-50

In vitro biocompatibility performance of Physioneal. *Catherine M. Hoff* S-57

The application of animal models to study the biocompatibility of bicarbonate-buffered peritoneal dialysis solutions. *P.M. ter Wee, R.H.J Beelen, and J. van den Born* S-75

Clinical indices of in vivo biocompatibility: The role of ex vivo cell function studies and effluent markers in peritoneal dialysis patients. *Ruth Mackenzie, Clifford J. Holmes, Suzanne Jones, John D. Williams, and Nicholas Topley* S-84

The in vitro biocompatibility performance of a 25 mmol/L bicarbonate/10 mmol/L lactate-buffered peritoneal dialysis fluid. *Line Skoufos, Nicholas Topley, Laurinda Cooker, Anne Dawnay, David J. Millar, Clifford J. Holmes, and Dirk Faict* S-94

Clinical trial experiences with Physioneal™. *Roberto Pecoits-Filho, Anders Tranaeus, and Bengt Lindholm* S-100

Clinical experience with two physiologic bicarbonate/lactate peritoneal dialysis solutions in automated peritoneal dialysis. *Max Dratwa, Martin Wilkie, Jean-Philippe Ryckelynck, P.M. ter Wee, Peter Rutherford, Catherine Michel, Alexandra Hopwood, Lynne Curtis, Nicolas Denys, Jose C. Divino Filho, and Dirk Faict, on behalf of the Physioneal APD research group* S-105

A solutions portfolio approach in peritoneal dialysis. *Anand Vardhan, Machteld M. Zweers, Ram Gokal, and Raymond T. Krediet* S-114

Beyond the membrane—The role of new PD solutions in enhancing global biocompatibility. *Roberto Pecoits-Filho, Peter Stenvinkel, Olof Heimburger, and Bengt Lindholm* S-124